

according to Regulation (EC) No 1907/2006 (REACH) as amended

# **Clear Glass**

Creation date 01st January 2009

Revision date 24th May 2022 Version 6.0

# SECTION 1: Identification of the substance/mixture and of the

company/undertaking

**1.1. Product identifier**Substance / mixture
Number

Clear Glass
mixture
AC 117

UFI MTD1-00DW-300W-6X6N

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Mixture's intended use

Main intended use

PC-CLN-7 Glass/window/mirror cleaning products (excludes windscreens)

**Secondary uses** 

PC-CLN-17.7 Windscreen/windshield cleaners

Mixture uses advised against

The product should not be used in ways other then those referred in Section 1.

# 1.3. Details of the supplier of the safety data sheet

**Distributor** 

Name or trade name Car Care Ireland

Address P.O. Box 10935, Dublin 11

Ireland

Phone +353 (0)1 8569347 / +353 (0)85 7043434

E-mail info@carcareireland.ie Web address www.carcareireland.ie

Manufacturer

Name or trade name Roschem Products Ltd.

Address Windmill Road, Elphin Co. Roscommon, F45

W426

**Ireland** 

VAT Reg No IE6599485B Phone 0719635375

E-mail compliance@roschemproducts.com

Web address www.roschemproducts.com

Competent person responsible for the safety data sheet

Name Roschem Products Ltd.

E-mail compliance@roschemproducts.com

1.4. Emergency telephone number



according to Regulation (EC) No 1907/2006 (REACH) as amended

# **Clear Glass**

Creation date 01st January 2009

Revision date 24th May 2022 Version 6.0

National poisoning information centre, Beaumont Hospital, PO Box 1297, Beaumont Road Dublin 9, tel: healthcare professionals: +353 (01) 809 2566 (24 hour service), members of public: +353 (01) 809 2166 (8.00 a.m. to 10.00 p.m. 7 days a week).

#### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

# Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is classified as dangerous.

Flam. Liq. 3, H226 Eye Irrit. 2, H319 STOT SE 3, H336

Full text of all classifications and hazard statements is given in the section 16.

## Most serious adverse physico-chemical effects

Flammable liquid and vapour.

#### Most serious adverse effects on human health and the environment

Causes serious eye irritation. May cause drowsiness or dizziness.

#### 2.2. Label elements

# **Hazard pictogram**





## Signal word

Warning

#### **Hazard statements**

H226 Flammable liquid and vapour. H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

## **Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

P280 Wear eye protection.

P312 Call a POISON CENTRE if you feel unwell.



according to Regulation (EC) No 1907/2006 (REACH) as amended

C	ear	G	lass
•	~~	•	<b>1455</b>

Creation date	01st January 2009		
Revision date	24th May 2022	Version	6.0

P337+P313 If eye irritation persists: Get medical advice/attention.

P370+P378 In case of fire: Use powder extinguisher/sand/carbon dioxide to

extinguish.

P403+P235 Store in a well-ventilated place. Keep cool.

# **Supplemental information**

>=30 % Propan-2-ol

#### 2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 603-117- 00-0 CAS: 67-63-0 EC: 200-661-7 Registration number: 01-2119457558-2 -xxxx	propan-2-ol	20-30	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336	1, 2
CAS: 1300-72-7 EC: 215-090-9 Registration number: 01-2119513350- 56-xxxx	Sodium xylenesulphonate	<2	Eye Irrit. 2, H319	

#### **Notes**

- 1 Substance with a Union workplace exposure limit.
- 2 Substance for which biological limit values exist.

Full text of all classifications and hazard statements is given in the section 16.



according to Regulation (EC) No 1907/2006 (REACH) as amended

# **Clear Glass**

Creation date 01st January 2009

Revision date 24th May 2022 Version 6.0

#### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

#### If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Protect the person against growing cold. Provide medical treatment if irritation, dyspnoea or other symptoms persist.

#### If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists. Rinse skin with water or shower.

#### If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes. Provide medical treatment, specialized if possible.

#### If swallowed

DO NOT INDUCE VOMITING - even the inducted vomiting can cause complications as in case of detergents and other foaming substances.

# 4.2. Most important symptoms and effects, both acute and delayed

#### If inhaled

May cause drowsiness or dizziness.

#### If on skin

Not expected.

#### If in eyes

Causes serious eye irritation.

#### If swallowed

Irritation, nausea.

# **4.3. Indication of any immediate medical attention and special treatment needed** Symptomatic treatment.



according to Regulation (EC) No 1907/2006 (REACH) as amended

# **Clear Glass**

Creation date 01st January 2009

Revision date 24th May 2022 Version 6.0

## **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

## Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

# Unsuitable extinguishing media

Water - full jet.

#### 5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

#### 5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Closed containers with the product near the fire should be cooled with water. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

#### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Provide sufficient ventilation. Flammable liquid and vapour. Remove all ignition sources. Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes.

#### 6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

#### 6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

## 6.4. Reference to other sections

See the Section 7, 8 and 13.



according to Regulation (EC) No 1907/2006 (REACH) as amended

# **Clear Glass**

Creation date 01st January 2009

Revision date 24th May 2022 Version 6.0

# **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Prevent formation of gases and vapours in flammable or explosive concentrations and concentrations exceeding the occupational exposure limits. The product should be used only in the areas where it is not in contact with open fire and other ignition sources. Use non-sparking tools. Use of antistatic clothes and footwear is recommended. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes. No smoking. Wash hands and exposed parts of the body thoroughly after handling. Use only outdoors or in a well-ventilated area. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Ground and bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Take action to prevent static discharges.

## 7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Do not expose to sunlight. Store locked up. Keep container tightly closed. Keep cool.

Content	Packaging type	Material of package
5 I	jerry can	HDPE

# The specific requirements or rules relating to the substance/mixture

Solvent vapours are heavier than air and accumulate especially near the floor where they may form an explosive mixture with the air.

## 7.3. Specific end use(s)

not available

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

### **Ireland**

# **2021 Chemical Agents and Carcinogens Code of Practice**

Substance name (component)	Туре	Value	Note
propan-2-ol (CAS: 67-63-0)	OELV 8 hours	200 ppm	Substances which have the capacity to penetrate intact skin when they come in contact with it and be absorbed into the body.



according to Regulation (EC) No 1907/2006 (REACH) as amended

# **Clear Glass**

Creation date 01st January 2009

Revision date 24th May 2022 Version 6.0

#### **Ireland**

# 2021 Chemical Agents and Carcinogens Code of Practice

Substance name (component)	Туре	Value	Note
propan-2-ol (CAS: 67-63-0)	OELV 15 minutes	400 ppm	Substances which have the capacity to penetrate intact skin when they come in contact with it and be absorbed into the body.

### **Biological limit values**

#### **Ireland**

# **Biological Monitoring Guidelines 2011**

Name	Parameter	Value	Tested material	Time of sampling
propan-2-ol (CAS: 67-63-0)	Acetone	40 mg/l		End of shift at the end of the working week

#### 8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. If exposure limits cannot be observed in this mode, suitable protection of airways must be used. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

# **Eye/face protection**

Protective goggles.

#### **Skin protection**

Hand protection: Protective gloves resistant to the product. Contaminated skin should be washed thoroughly.



according to Regulation (EC) No 1907/2006 (REACH) as amended

# **Clear Glass**

Creation date 01st January 2009

Revision date 24th May 2022 Version 6.0

# **Respiratory protection**

Halfmask with a filter against organic vapours or a self-contained breathing apparatus as appropriate if exposure limit values of substances are exceeded or in a poorly ventilated environment.

#### Thermal hazard

Not available.

# **Environmental exposure controls**

Observe usual measures for protection of the environment, see Section 6.2.

#### **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state liquid
Colour blue
color intensity dark

Odour without fragrance Melting point/freezing point data not available

Boiling point or initial boiling point and

boiling range

Flammability data not available Lower and upper explosion limit data not available

Flash point 28 °C

Auto-ignition temperature data not available Decomposition temperature data not available pH 6.1 (undiluted) Kinematic viscosity data not available

Solubility in water soluble

Partition coefficient n-octanol/water (log

value)

data not available

data not available

Vapour pressure data not available

Density and/or relative density

Density 0.95 g/cm³ at 20 °C Relative vapour density data not available Particle characteristics data not available Form data not available

Sodium xylenesulphonate (CAS: 1300-72 liquid

-7)



according to Regulation (EC) No 1907/2006 (REACH) as amended

# Clear Glass

Creation date 01st January 2009

Revision date 24th May 2022 6.0 Version

Sodium xylenesulphonate (CAS: 1300-72 solid: bulk

-7)

Sodium xylenesulphonate (CAS: 1300-72 solid: particulate/powder

-7)

#### 9.2. Other information

not available

## **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

not available

# 10.2. Chemical stability

The product is stable under normal conditions.

## 10.3. Possibility of hazardous reactions

Unknown.

#### 10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

#### 10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

### 10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

### **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.

#### **Acute toxicity**

Based on available data the classification criteria are not met.

# Skin corrosion/irritation

Based on available data the classification criteria are not met.

#### Serious eye damage/irritation

Causes serious eye irritation.

### Respiratory or skin sensitisation

Based on available data the classification criteria are not met.



according to Regulation (EC) No 1907/2006 (REACH) as amended

# **Clear Glass**

Creation date 01st January 2009

Revision date 24th May 2022 Version 6.0

## **Germ cell mutagenicity**

Based on available data the classification criteria are not met.

## **Carcinogenicity**

Based on available data the classification criteria are not met.

# **Reproductive toxicity**

Based on available data the classification criteria are not met.

# **Toxicity for specific target organ - single exposure**

May cause drowsiness or dizziness.

# **Toxicity for specific target organ - repeated exposure**

Based on available data the classification criteria are not met.

# **Aspiration hazard**

Based on available data the classification criteria are not met.

#### 11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

**Acute toxicity** 

#### 12.2. Persistence and degradability

The mixture is biodegradable.

#### 12.3. Bioaccumulative potential

Not available.

### 12.4. Mobility in soil

Not available.

#### 12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

#### 12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

### 12.7. Other adverse effects

Not available.

# **SECTION 13: Disposal considerations**



according to Regulation (EC) No 1907/2006 (REACH) as amended

# **Clear Glass**

Creation date 01st January 2009

Revision date 24th May 2022 Version 6.0

#### 13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

# **Waste management legislation**

Waste Management (Amendment) Act, No. 36/2001. European Union (Packaging) Regulations 2014 (S.I. No. 282 of 2014). Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

# **SECTION 14: Transport information**

#### 14.1. UN number or ID number

not subject to transport regulations

### 14.2. UN proper shipping name

not relevant

### 14.3. Transport hazard class(es)

not relevant

#### 14.4. Packing group

not relevant

#### 14.5. Environmental hazards

not relevant

## 14.6. Special precautions for user

Reference in the Sections 4 to 8.

### 14.7. Maritime transport in bulk according to IMO instruments

not relevant



according to Regulation (EC) No 1907/2006 (REACH) as amended

# **Clear Glass**

Creation date 01st January 2009

Revision date 24th May 2022 Version 6.0

## **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

The Safety, Health and Welfare at Work (Chemical Agents) (Amendment) Regulations 2021. Health act, 1947. Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents, as ammended.

# 15.2. Chemical safety assessment

not available

#### **SECTION 16: Other information**

#### A list of standard risk phrases used in the safety data sheet

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour. H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

#### Guidelines for safe handling used in the safety data sheet

P210 Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

P280 Wear eye protection.

P312 Call a POISON CENTRE if you feel unwell.

P337+P313 If eye irritation persists: Get medical advice/attention.

P370+P378 In case of fire: Use powder extinguisher/sand/carbon dioxide to

extinguish.

P403+P235 Store in a well-ventilated place. Keep cool.

### Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.



according to Regulation (EC) No 1907/2006 (REACH) as amended

# **Clear Glass**

Creation date 01st January 2009

Revision date 24th May 2022 Version 6.0

Key to abbreviations and acronyms used in the safety data sheet

ADR European agreement concerning the international carriage of

dangerous goods by road

BCF Bioconcentration Factor
CAS Chemical Abstracts Service

CLP Regulation (EC) No 1272/2008 on classification, labelling and

packaging of substance and mixtures

EC Identification code for each substance listed in EINECS
EINECS European Inventory of Existing Commercial Chemical

Substances

EmS Emergency plan EU European Union

EuPCS European Product Categorisation System IATA International Air Transport Association

IBC International Code For The Construction And Equipment of

Ships Carrying Dangerous Chemicals

ICAO International Civil Aviation Organization IMDG International Maritime Dangerous Goods

INCI International Nomenclature of Cosmetic Ingredients

ISO International Organization for Standardization
IUPAC International Union of Pure and Applied Chemistry

log Kow Octanol-water partition coefficient

MARPOL International Convention for the Prevention of Pollution from

Ships

OEL Occupational Exposure Limits

PBT Persistent, Bioaccumulative and Toxic

ppm Parts per million

REACH Registration, Evaluation, Authorisation and Restriction of

Chemicals

RID Agreement on the transport of dangerous goods by rail

UN Four-figure identification number of the substance or article

taken from the UN Model Regulations

UVCB Substances of unknown or variable composition, complex

reaction products or biological materials

VOC Volatile organic compounds

vPvB Very Persistent and very Bioaccumulative



according to Regulation (EC) No 1907/2006 (REACH) as amended

# **Clear Glass**

Creation date 01st January 2009

Revision date 24th May 2022 Version 6.0

Eye Irrit. Eye irritation Flam. Liq. Flammable liquid

STOT SE Specific target organ toxicity - single exposure

# **Training guidelines**

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

### **Recommended restrictions of use**

not available

# Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

#### More information

Classification procedure - calculation method.

#### **Statement**

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.